



13956409767  
/

13956409767  
/

	1000				
	1000				
	1000				
	2024 2		2024 3		
	2024 5		2024 7 29 - 30		
	800		20		2.5%
	800		20		2.5%
	1.	2014 4		2015 1	
	1				
	2.	2022. 6. 5			
	3.	2018. 10. 26			
	4.	2016. 7. 1			
	5.	2018. 12. 29			
	6.	2020. 9. 1			
	7.	2017. 6. 27			
	8.	2017	682		
	9.	[ 2017 ] 4	2017		
	11 22				

10.		2018	9	2018. 5. 15
11.			2018	1 1
12.				1000
				2024 1
13.				2024 5 "
				1000
	"	2024	2 2	
14.				2020
688				

1.

(GB8978-1996) 4

1-1

单位:

	pH	COD	BOD <sub>5</sub>	SS	NH <sub>3</sub> -N	
	6-9	500	300	400	50	20
GB8978-1996	6-9	500	400	400	/	20

2.

GB

12348-2008 3

1-2

dB A

		[dB(A)]	
GB12348-2008	3	65	55

3

GB

31572-2015

GB37822-2019 A.1

VOCs

1-3

表 大气污染物无组织排放限值

		mg/m <sup>3</sup>			mg/m <sup>3</sup>	
			m	kg/h		
		60	15	/	4.0	GB 31572-2015
—		/	/	/	6 1h	

					20	GB3782 2-2019 A.1
--	--	--	--	--	----	-------------------------

4

GB18597- 2023

<

>

5

# 8013

## 1、项目由来

2018 8

2018 9 25

"

2018 37 "

2023 7

2023 7 12

91341126MA2RCFB282001Q

800

"

1000

"

2


2300m<sup>2</sup>

1000

1#

2023 10 25

2310-3411



2

2300m<sup>2</sup>

1000

1#

1000

800

20


2.5%

2024 3

2024 5

2024 12 4

913411 Yr@ND \$ypñ0 D•Y G— # Y2"




100m<sup>2</sup>

2-4

1		600t	/	/
2		200t	/	/
3	POE	30t	/	/
4		0.01t	/	/
5		0.4t	30t	24t
6	LLDPE	/	1005t	820t
7	EVA	/	2t	1.6t
8		/	2t	1.6t
9		/	0.3t	0.24
10		160m <sup>3</sup>	195m <sup>3</sup>	180
11		15		

LLDPE



**表三 项目变动情况说明**

3-1			
			否
	30%	1000	否
			否
	1 2 3 4	2-3    2-4   10%	否
	10%	2-4	否
<b>环境 保护 措施</b>	6  10%		否
			否



4.1

1

2

75-85dB A

3

4

4.2

1

13

50L/ ·d

195m<sup>3</sup>/a 0.65m<sup>3</sup>/d

80%

156m<sup>3</sup>/a 0.52m<sup>3</sup>/d

2

75-85dB A

3



V 1  
2021  
900-041-49  
T/In



0.012  
HW  
L W

2

2021  
HW49 WA m900-039-49  
VORÉ & ç μ ² ^ L\$>| È Ê O+a  
T/In




图 监测点位图

5.1

			"	+
	15			
	GB31572- 2015			
		GB37822- 2019		
3				
			GB12348- 2008	3
4				
			GB18597- 2023	
5				

6.1

1

2

	HJ 637-2018	SN-01 L8A AHSC-0012	0.06mg/L
	GB12348-2008	AWA5688 AHSC-0053 HS6021 AHSC-0319	/

7.1

300                      2024 7 29 30  
 "                      1000                      "  
 80.5% 82.3%                      81.4%

7-1

7-1

			/d	/d	
2024	7	29	3.33	2.68	80.5%
2024	7	30	3.33	2.74	82.3%

7.2

pH

7.3

1

4

7-2

	N1	1m	
	N2	1m	
	N3	1m	
	N4	1m	

2

A

LAeq

3

2

4

GB 3096- 2008

7.4

1

5

1000

2024 7 29 30

1

8-1

N3	2024	7	29	54	47
	2024	7	30	54	47
N4	2024	7	29	54	46
	2024	7	30	57	48
				65	55

GB12348- 2008 3

3

GB 31572-2015

GB 31572-2015

GB37822-2019 A.1 VOCs

8-3

	DA005			DA005		
kpa	99.6~99.8			99.5~99.7		
m	15			15		
m	0.8			0.8		
	2024.07.29			2024.07.30		
m <sup>3</sup> /h	18022	19415	19459	19093	18771	19320
mg/m <sup>3</sup>	4.77	4.77	4.74	4.25	4.27	4.24
kg/h	8.60×10 <sup>-2</sup>	9.26×10 <sup>-2</sup>	9.22×10 <sup>-2</sup>	8.11×10 <sup>-2</sup>	8.02×10 <sup>-2</sup>	8.19×10 <sup>-2</sup>

4. 51mg/m<sup>3</sup>

8. 57× 10<sup>2</sup>kg/h

DA005

4. 77mg/m<sup>3</sup>

GB31572- 2015

GB 31572- 2015

60mg/m<sup>3</sup>

8.57

$\times 10^2 \text{kg/h} \times 1820 \text{h} \div 81.4\% \div 1000 = 0.191 \text{t/a}$

0.231t/a,

1 " "

" "

2

3

8-6

8-6



9.1

1

" "

项目名称 1000000  
行业类别 C2921

项目代码  
建设性质

2310-341126-07-01-932309

建设地点  
项目厂区中心经度/纬度

117° 21' 15.95  
32° 6'



□ 1000

附件

1

2

3

4

5

6

7

8

附图

1

2